

THE DOUBLE TRADE-OFF BETWEEN ADAPTATION AND MITIGATION FOR SEA LEVEL RISE: AN APPLICATION OF *FUND*

Richard S.J. Tol

Research Unit Sustainability and Global Change, Hamburg University and Centre for Marine and Atmospheric Sciences, Hamburg, Germany

Institute for Environmental Studies, Vrije Universiteit, Amsterdam, The Netherlands

Center for Integrated Study of the Human Dimensions of Global Change, Carnegie Mellon University, Pittsburgh, PA, USA

June 30, 2004

Working Paper FNU-48

Abstract

The effects of adaptation and mitigation on the impacts of sea level rise are studied. Without either, the impacts of sea level rise would be substantial, almost wiping out entire nations before 2100; the global effect is much smaller. Adaptation would reduce impacts by a factor 10 to 100. As adaptation depends on socio-economic status, the rank order of most vulnerable countries is not the same as the rank order of most exposed countries. Adaptation would come at a minor cost compared to the damage avoided. Because the momentum of sea level rise is so large, mitigation can reduce impacts only to a limited extent. Stabilising carbon dioxide concentrations at 550 ppm would cut impacts up to 2100 by about 10%. However, if the costs of emission reduction are also factored in, then avoided impacts are less by up to 25% (average 10%). This is partly due to the reduced availability of resources for adaptation, and partly due to the increased sensitivity to wetland loss by adaptation.

Key words

Sea level rise, mitigation, adaptation

JEL Classification

Q25

1. Introduction

Many people phrase climate policy's basic trade-off as that between mitigation and adaptation (e.g., Barbier and Pearce, 1990; Nordhaus, 1991; Schelling, 1992; Parry *et al.*, 1998). If we would mitigate more, climate change and its impacts are lower and we would have to adapt less. Optimal climate policy would balance the marginal costs of emission reduction and the marginal damage costs of climate change (Nordhaus, 1992; Manne *et al.*, 1995; Tol, 1999), itself a trade-off between adaptation and residual damage (Smith and Lenhart, 1996; Fankhauser *et al.*, 1999; Mendelsohn, 2000). However, if we would mitigate more, we would

have less resources left for adaptation, and climate change impacts may be higher. This argument is often overlooked, although eloquently made by Schelling (1992, 1995), and demonstrated by Tol and Dowlatabadi (2001) and Tol (2002c). This paper revisits this argument, focussing on sea level rise.

Although my previous papers on this issue focussed on health, sea level rise may be the best place to demonstrate the double trade-off between adaptation and mitigation. Like health care, the standards of coastal protection rise with economic growth, perhaps rapidly so. However, the ocean reacts much more slowly to greenhouse gas emission reduction than does the atmosphere. This implies that slowing sea level rise in this century requires a larger and more expensive effort than slowing climate change. There may be few coastal benefits from mitigation, while the resource effect of mitigation may be larger and more immediate.

To my knowledge, this subject has not been studied. Most studies of the impacts of sea level rise are classic impact studies, estimating the effects in one or more scenarios (Hoozemans *et al.*, 1993; Baarse, 1995; Leatherman and Nicholls, 1995; Nicholls *et al.*, 1995, 1999; Nicholls, 2002, 2004). Only Nicholls and Lowe (forthcoming) estimate the *difference* between a business-as-usual and an emission reduction scenario. However, Nicholls and Lowe (forthcoming) implausibly assume that deep emission cuts are cost-less.

The paper proceeds as follows. In the next section, the model used, version 2.8n of FUND, is presented. Section 3 discusses the scenarios. Section 4 shows estimates of the impacts of sea level rise. Section 5 analyses how impacts change with emission reduction. Section 6 concludes.

2. The model

The model used is version 2.8n of the *Climate Framework for Uncertainty, Negotiation and Distribution (FUND)*. Version 2.8n is different in many ways from previous versions. However, in this paper, only coastal impacts are used, and these are as described in Tol (2002a,b). The essentials are given below. Version 2.8n differs from version 2.8 (Link and Tol, 2004) in that version 2.8n runs at its maximum spatial resolution, that is, 207 countries; version 2.8 has only 16 regions.

Essentially, *FUND*2.8n consists of a set of exogenous scenarios based on which impacts are calculated. The model runs from 1995 to 2100 in time steps of five years. The scenarios are the SRES scenarios, as implemented by the IMAGE2 model (IMAGE Team, 2002). The scenarios concern the rate of population growth and economic growth, carbon dioxide concentrations, global mean temperature and sea level rise.

The climate impact module is based on Tol (2002a,b). The following impact categories of climate change are considered: agriculture, forestry, sea level rise, cardiovascular and respiratory disorders related to cold and heat stress, malaria, dengue fever, schistosomiasis, diarrhea, energy consumption, water resources, and unmanaged ecosystems. In this paper, only sea level rise impacts are used. The impacts of sea level rise include dryland loss, wetland loss, protection costs, and forced migration.

These impacts interact with one another. For example, if a piece of dryland is fully protected, no dryland will be lost, but the costs of protection will be high, and the adjacent wetland may be inundated. The total impact of sea level rise depends on the adaptive policy chosen. Consequently, the estimated damage depends strongly on the projected policy. For instance, IPCC CZMS (1991) uses the *ad hoc* rule that all dryland with a population density above 10 people per square meter will be protected while Fankhauser (1994, 1995) and Yohe *et al.*

(1995, 1996) employ models which choose the economically optimal level of protection. The difference can be substantial.

The coast length of all countries in the world was taken from the Global Vulnerability Assessment (Hoozemans *et al.*, 1993), an update of work earlier done for the IPCC (IPCC CZMS, 1990). Other sources, such as the proceedings of the 1993 World Coast Conference (Bijlsma *et al.*, 1994), Nicholls and Leatherman (1995a,b) and Fankhauser (1995), use (occasionally widely) different estimates of the length of the coast of particular countries. However, the length of a coast depends on the measurement procedure. The GVA is based on an internally consistent, globally comprehensive data-set. Therefore, the GVA is used here.

Wetland losses for a 1 metre sea level rise were taken from the GVA and, where available, replaced with results from country studies as reported by Bijlsma *et al.* (1996) plus Nicholls and Leatherman (1995a,b). The reasons are: (i) the GVA is a desk study which occasionally shows signs of the great haste of its preparation; (ii) the country studies use local data; and (iii) land lost because of sea level rise is more obviously estimated than coast length. Bijlsma *et al.* (1996), however, only report wetland losses in the absence of coastal protection. The GVA reports wetland losses both with and without coastal protection; the country-specific ratio between the two was used to derive wetland losses with protection according to Bijlsma *et al.* (1996).

Dryland losses are not reported in the GVA, but they are by Bijlsma *et al.* (1996). The GVA reports people-at-risk, which is the number of people living in the one-in-1000-year flood plain, weighted by the chance of inundation. Combining this with GVA's coastal population densities, area-at-risk results. The exponential of the geometric mean of the ratio between area-at-risk and land loss for the 18 countries in Bijlsma *et al.* (1996) was used as a correction factor to derive land loss for all other countries.

The monetary value of a loss of one square kilometer of dryland was on average \$4 million in OECD countries in 1990 (cf. Fankhauser, 1994). Dryland value is assumed to be proportional to GDP per square kilometer. Wetland losses are valued at \$2 million per square kilometer on average in the OECD in 1990 (cf. Fankhauser, 1994). The wetland value is assumed to have logistic relation to per capita income.

Coastal protection is based on cost-benefit analysis, including the value of additional wetland lost due to the construction of dikes and subsequent coastal squeeze. The level of protection is derived by Fankhauser (1994):

$$L = \min \left\{ 0, 1 - \frac{1}{2} \left(\frac{PC + WL}{DL} \right) \right\} \quad (1)$$

L is the fraction of the coastline to be protected. PC is the net present value of the protection if the whole coast is protected. The GVA reports average costs per year over the next century. PC is calculated assuming annual costs to be constant. This is based on the following. Firstly, the coastal protection decision makers anticipate a linear sea level rise. Secondly, coastal protection entails large infrastructural works which last for decades. Thirdly, the considered costs are direct investments only, and technologies for coastal protection are mature.

Throughout the analysis, a pure rate of time preference, ρ , of 1% per year is used. The actual discount rate lies thus 1% above the growth rate of the economy, g . The net present costs of protection PC thus equal

$$PC = \sum_{t=1}^{\infty} \left(\frac{1}{1 + \rho + g} \right)^t PC_a = \frac{1 + \rho + g}{\rho + g} PC_a \quad (2)$$

where PC_a is the average annual costs of protection.

WL is the net present value of the wetlands lost due to full coastal protection. Land values are assumed constant, reflecting how much current decision makers care about the non-marketed services and goods that get lost. The amount of wetland lost is assumed to increase linearly over time. The net present costs of wetland loss WL follow from

$$WL = \sum_{t=0}^{\infty} t \left(\frac{1}{1 + \rho + g} \right)^t WL_0 = \frac{1 + \rho + g}{(\rho + g)^2} WL_0 \quad (3)$$

where WL_0 denotes the value of wetland loss in the first year.

DL denotes the net present value of the dryland lost if no protection takes place. Land values are assumed to rise at the same pace as the economy grows. The amount of dryland lost is assumed to increase linearly over time. The net present costs of dryland loss DL are

$$DL = \sum_{t=0}^{\infty} t \left(\frac{1}{1 + \rho + g} \right)^t DL_0 = \frac{(1 + g)(1 + \rho + g)}{\rho^2} DL_0 \quad (4)$$

where DL_0 is the value of dryland loss in the first year.

Another effect associated with dryland loss is that the people who used to live on the washed land are forced to move elsewhere. Forced migration may well be one of the most pronounced impacts of sea level rise (Myers and Kent, 1995), considering the fact that people tend to cluster in deltas and near shores (Vellinga and Leatherman, 1989). Emigration estimates follow from multiplying the projected loss of drylands with the country-average population density. The value of emigration is set to be 3 times the per capita income (Tol, 1995, 1996). This implies that migration is linear in land lost and population growth, while migration costs are linear in land loss, population growth and per capita income growth. The same is true for (the value of) dryland lost. Hence, the dynamics of migration are similar to the dynamics of other, less controversial impacts. Migration results are therefore not shown.

3. Scenarios

The population scenario used is IPCC SRES A1/B1 scenario (Nakicenovic *et al.*, 2001) as implemented in the *IMAGE 2.2* model (IMAGE Team, 2002). The *IMAGE* model has population projections for 17 world regions. Population growth was assumed to be the same for all countries within a region. The A1/B1 scenario has moderate population growth. The world population peak at 8.7 billion people in 2055, and falls to 7.0 billion in 2100.

The scenario for per capita income is the IPCC SRES A1B scenario, again as implemented in *IMAGE*. Per capita income growth within a region is assumed to be uniform. Economic growth is fairly rapid. Japan is the slowest grower, seeing its per capita income quadruple over the century, an average annual growth of 1.3%. The fastest grower is South Asia, seeing its per capita income increase by a factor of 180, an average annual growth of 5.1%. This is not the place to criticise SRES.

Using the population and economic scenarios, as well as the corresponding scenarios on technological progress, the full *FUND* model, version 2.8,¹ was used to generate scenarios of climate change and sea level rise. CO₂ concentrations rise to 870 ppm by 2100, the global mean temperature to 3.5°C above pre-industrial, and the sea rises by 66 cm.

As a stabilisation scenario, CO₂ concentrations are kept below 550 ppm. The stabilisation scenario was implemented in the full *FUND 2.8* model. Atmospheric stabilisation slows sea

¹ That is, the version with 16 regions rather than 207 countries.

level rise, but only by about 10 cm in 2100. Later gains are much larger. Atmospheric stabilisation requires greenhouse gas emission reduction, which reduces economic growth. For this scenario, per capita income is about 3% lower in 2100 than in the baseline scenario.

4. Costs and benefits of adaptation

Figure 1 shows dryland loss, as a fraction of the 2000 area, per country in 2000, 2025, 2050, 2075, and 2100. Coasts are assumed to be unprotected. Exposure differs by 7 orders of magnitude. The most exposed countries are the Maldives (77% land loss in 2100), Micronesia (21%), Macau (18%), Vietnam (15%) and Bangladesh (10%). Exposure increases over time. In the case of the Maldives, the projected land loss is 13% in 2025, 29% in 2050, 51% in 2075 and 77% in 2100.

Figure 1 also shows the costs of dryland loss, as a percentage of GDP. As dryland value is assumed to be linear in income density, the rank order is the same. The most exposed countries are the Maldives (122% of GDP in 2100), Micronesia (12%), Macau (10%), Vietnam (8%) and Bangladesh (5%). The economic exposure grows less fast than the physical exposure, as the rate of the sea level rise is faster than the rate of economic growth. In the case of the Maldives, the costs of land loss are 19% of GDP in 2025, 32% in 2050, 55% in 2075, and 122% in 2100.

Figure 2 shows wetland loss, as a fraction of the 2000 area, per country in 2000, 2025, 2050, 2075, and 2100. Coasts are assumed to be unprotected. Exposure differs by 3 orders of magnitude. The most exposed countries are the Benin (62% wetland loss in 2100), Congo (Kinshasa) (55%), Cameroon (52%), Bangladesh (46%) and Pakistan (46%). Exposure increases over time, but at a decelerating rate as wetlands disappear entirely. In the case of Benin, the project wetland loss is 9% in 2025, 22% in 2050, 40% in 2075 and 62% in 2100.

Figure 2 also shows the costs of wetland loss, as a percentage of GDP. Exposure differs by 6 orders of magnitude. As wetland value is non-linear, the rank order is different than for wetland area. The most exposed countries are the Bahamas (4.8% of GDP in 2100), Papua New Guinea (3.0%), Belize (1.4%), Malaysia (0.5%) and Senegal (0.4%). The economic exposure grows faster than the physical exposure, as people grow richer while wetlands get scarcer, both of which drive up the value of wetlands. For the Bahamas, the value of wetland loss amounts to 1.3% of GDP in 2025, 2.3% in 2050, 3.3% in 2075 and 4.8% in 2100.

Figure 3 shows the optimal protection level for those countries which would lose land otherwise; for the other countries, the optimal protection level is zero. Almost all countries have full protection as of 2025. There are a few rank reversals through time, as some countries grow faster than others. The least protected countries in 2100 are Kiribati (74% of the *vulnerable* coast line protected), New Caledonia (94%), Fiji (96%), New Zealand (96%) and Sweden (96%). Figure 3 also shows the costs of protection, expressed as a percentage of GDP. Relative protection costs differ seven orders of magnitude. The countries which pay most for coastal protection are Micronesia (0.36% of GDP in 2100), Palau (0.30%), Tuvalu (0.07%), Kiribati (0.06%) and the Marshall Island (0.04%). Costs fall over time. In the case of Micronesia, protection costs are 0.63% in 2025, 0.54% in 2050, 0.44% in 2075 and 0.36% in 2100. A cursory comparison of protection costs and the costs of dryland loss indicates why protection levels are so high.

Figure 1 shows dryland losses with optimal protection. At the maximum end, land loss falls by two orders of magnitude; at the minimum end, by one order of magnitude. Whereas without protection (exposure), the rank order of countries is preserved over time, this is not the case with protection (vulnerability). The relative vulnerabilities of countries change as some grow faster than do others. In 2100, the most vulnerable countries are Micronesia (7.6%

land loss), Palau (6.4%), Kiribati (1.5%), Tuvalu (1.4%), and Mozambique (1.3%). Over time, physical vulnerability rises. For Micronesia, land losses are 3.1% of land area in 2025, 5.0% in 2050, 6.4% in 2075 and 7.6% in 2100. This is because land loss is irreversible and cumulative.

Figure 1 also shows the costs of dryland loss, as a percentage of GDP, with optimal coastal protection. At the maximum end, economic loss falls by more than two orders of magnitude; at the minimum end, by three orders of magnitude. As with physical vulnerability, the rank order of economic vulnerability is not preserved over time; this is more pronounced for physical than for economic vulnerability, though. In 2100, the most vulnerable countries are Micronesia (0.15% of GDP), Palau (0.12%), Kiribati (0.03%), Tuvalu (0.03%), and the Marshall Islands (0.02%). Over time, economic vulnerability falls, in contrast to physical vulnerability. In the case of Micronesia, the value of land losses is 0.30% of GDP in 2025, 0.23% in 2050, 0.18% in 2075 and 0.15% in 2100. This is because protection levels increase.

Figure 2 shows wetland losses with optimal protection. Wetland losses increase in some twenty countries. Wetlands suffer most from coastal protection in Liberia (21% land loss due to coastal protection in 2100; Liberia is seventh on the list of most vulnerable countries), Puerto Rico (18%), St Lucia (18%), Jamaica (18%) and South Africa (11%). All other countries suffer losses of less than 5% of wetland area. Whereas without protection (exposure), the rank order of countries is preserved over time, this is not the case with protection (vulnerability). The relative vulnerabilities of countries change as some have higher protection than do others and some wetlands are more susceptible to coastal squeeze than are others. However, the top 5 most vulnerable countries remains the same, and the time profile does not change substantially.

Figure 2 also shows the costs of wetland loss, as a percentage of GDP. People suffer the greatest welfare losses due to wetland losses because of coastal protection in Denmark (0.11% of GDP; Denmark is sixth on the list of most vulnerable countries), Antigua and Barbuda (0.04%), Liberia (0.04%), Ireland (0.04%) and Honduras (0.03%). As with physical vulnerability, the rank order of economic vulnerability is not preserved over time; this is more pronounced for economic vulnerability. The top 5 most vulnerable countries does not change, however, and the time profile is hardly different.

4. Costs and benefits of mitigation

Figure 4 shows the difference in protection levels because of emission reduction (sea level rise plus slower economic growth) for the world and for Kiribati, where this effect is largest. The effect of lower sea level rise alone is too small to depict. The effect is less than 4% of the coastline for Kiribati, and much smaller still for the world. Figure 4 also shows the difference in protection costs because of lower sea level rise for the world and for Micronesia, where this effect is largest. The effect of lower sea level rise coincides with the effect of emission reduction, as the effect of slower economic growth alone is too small to depict. The effect are cost savings of less than 0.16% GDP in Micronesia, and much less than that for the world. The differences are zero in 2000, by construction. The differences are maximum in 2025. For protection levels, this is because more and more countries choose close to full protection as time progresses, and stick to that policy regardless of small deviations in sea level or development. For protection costs, the same pattern is observed because protection costs grow not as fast as does the economy.

Figure 5 displays dryland losses and its costs in 2100 according to the business as usual scenario and the emission reduction scenario; Figure 5 also shows the difference. A stringent emission reduction scenario as considered here cuts land loss and its costs by about 10%. This

is because the momentum of sea level rise is so large. The greatest beneficiaries, both in terms of area and value, are Micronesia, Palau, Kiribati, Tuvalu and the Marshall Islands. Unsurprisingly, this is also the list of countries most vulnerable to sea level rise.

Figure 6 shows the difference in dryland loss and its costs because of emission reduction and because of lower sea level rise alone for the world and for Japan, where the difference due to adding the costs of emission reduction is largest (in relative terms). As seen in Figure 5, emission reduction reduces the impacts on drylands. However, lower sea level rise has a positive effect, while the costs of emission reduction has a negative effect. For the world as a whole, emission reduction costs take away 11% of the benefits of lower sea level rise in 2100; in Japan, this number is 23%. In general, emission reduction costs take away a larger (smaller) share of the benefits of reduced sea level rise in richer (poorer) countries because the loss of wetlands due to coastal protection is of greater (smaller) concern, making the optimal protection level more (less) sensitive to economic growth.

Figure 7 displays wetland losses and its costs in 2100 according to the business as usual scenario and the emission reduction scenario; Figure 7 also shows the difference. A stringent emission reduction scenario as considered here cuts wetland loss and its costs by about 10%, the same order of magnitude as dryland loss avoided. This is because the impacts are essentially linear in sea level rise. The greatest beneficiaries in terms of wetland area are Benin, Congo (Kinshasa), Cameroon, Bangladesh and Pakistan; in terms of wetland value, the greatest beneficiaries are the Bahamas, Papua New Guinea, Belize, Malaysia and Senegal. Again, this coincides with the list of countries most vulnerable to sea level rise.

Figure 8 shows the difference in wetland loss and its costs because of emission reduction and because of lower sea level rise alone for the world and for Australia (wetland area) and Papua New Guinea (wetland value), where the difference due to adding the costs of emission reduction is largest (in relative terms). As seen in Figure 7, emission reduction reduces the impacts on wetlands. However, lower sea level rise has a positive effect, while the costs of emission reduction has a negative effect. For the world as a whole, the effect of emission reduction costs on wetland area saved is negligible; in Australia, the number is 0.2% in 2100. For the world, the effect of emission reduction costs on wetland value saved is 5%; in Papua New Guinea, this is 17% in 2100.

6. Discussion and conclusion

Four scenarios are systematically compared. The first scenario is a scenario with economic and population growth, climate change and sea level rise, but no adaptation. The second scenario has adaptation. The benefits of adaptation, in this case dike building, are substantial in terms of land loss prevented and economic damage avoided. The costs of adaptation are smaller than the benefits. Adaptation costs include the costs of dike building, but also the wetlands squeezed between the rising sea and dikes. Because adaptation depends on such things as population density and per capita income, vulnerability (with adaptation) does not correspond one-to-one with exposure (without adaptation).

In the third scenario, the level of the sea rises more slowly, corresponding to a stabilisation of CO₂ concentrations at 550 ppm. Although the emission reductions required for this are substantial, the momentum in climate change and sea level rise is too large to avoid more than 10% of the impacts on wetlands and drylands. Protection levels are hardly affected, but dikes need to be less high, which implies savings on costs.

In the fourth scenario, the costs of emission reduction are also included. Because economic growth is less, countries are less able and less willing to defend themselves against the rising sea. The costs of emission reduction take away an average of 10% (a maximum of 25%) of

the benefits of emission reduction for drylands, and an average of 5% (a maximum of 20%) for wetlands. These numbers suggest that one cannot estimate the benefits of emission reduction (as in the third scenario) without also considering the costs of emission reduction.

This analysis was done with a single model, a single set of parameters, and a single baseline scenario. An analysis of the sensitivities and uncertainties is obviously needed but beyond the scope of this paper. The qualitative insight – that emission reduction affects the impacts of sea level rise through the climate as well as through the economy – is independent of parameters, scenarios, and models. The estimated quantity would differ.

That basic insight shows that adaptation and mitigation are not just alternative policy options for climate change. If mitigation is higher, less adaptation is needed, but there is also less adaptation possible or desirable. Adaptation and mitigation strategies should be studied together.

Acknowledgements

The CEC DG Research through the DINAS-Coast project (EVK2-2000-22024), the US National Science Foundation through the Center for Integrated Study of the Human Dimensions of Global Change (SBR-9521914) and the Michael Otto Foundation for Environmental Protection provided welcome financial support. All errors and opinions are mine.

References

Baarse, G. (1995), *Development of an Operational Tool for Global Vulnerability Assessment (GVA) -- Update of the Number of People at Risk due to Sea Level Rise and Increased Flooding Probability*, Coastal Zone Management Centre, The Hague.

Barbier, E. B. and Pearce, D. W. (1990), 'Thinking Economically about Climate Change', *Energy Policy*, **18**, 11-18.

Bijlsma, L., Ehler, C. N., Klein, R. J. T., Kulshrestha, S. M., McLean, R. F., Mimura, N., Nicholls, R. J., Nurse, L. A., Perez Nieto, H., Stakhiv, E. Z., Turner, R. K., & Warrick, R. A. (1996), "Coastal Zones and Small Islands," in *Climate Change 1995: Impacts, Adaptations and Mitigation of Climate Change: Scientific-Technical Analyses -- Contribution of Working Group II to the Second Assessment Report of the Intergovernmental Panel on Climate Change*, 1 edn, R. T. Watson, M. C. Zinyowera, & R. H. Moss, eds. (eds.), Cambridge University Press, Cambridge, pp. 289-324.

Bijlsma, L., Crawford, M., Ehler, C., Hoozemans, F. M. J., Jones, V., Klein, R. J. T., Mieremet, B., Mimura, N., Misdorp, R., Nicholls, R. J., Ries, K., Spradley, J., Stive, M., de Vrees, L., & Westmacott, S. "Preparing to Meet the Coastal Challenges of the 21st Century - Conference Report World Coast Conference 1993", Intergovernmental Panel on Climate Change/Ministry of Transport, Public Works and Water Management, The Hague.

Fankhauser, S. (1994), 'Protection vs. Retreat -- The Economic Costs of Sea Level Rise', *Environment and Planning A*, **27**, 299-319.

Fankhauser, S. (1995), *Valuing Climate Change - The Economics of the Greenhouse*, 1 edn, EarthScan, London.

- Fankhauser, S., Smith, J. B., and Tol, R. S. J. (1999), 'Weathering Climate Change: Some Simple Rules to Guide Adaptation Decisions', *Ecological Economics*, **30**, 67-78.
- Hoozemans, F. M. J., Marchand, M., & Pennekamp, H. A. (1993), *A Global Vulnerability Analysis: Vulnerability Assessment for Population, Coastal Wetlands and Rice Production and a Global Scale (second, revised edition)*, Delft Hydraulics, Delft.
- IMAGE Team (2002), *The IMAGE 2.2 implementation of the SRES scenarios*, RIVM CD-ROM Publication 481508018, RIVM, Bilthoven.
- IPCC CZMS (1990), *Strategies for Adaption to Sea Level Rise*, Intergovernmental Panel on Climate Change/Ministry of Transport and Public Works, The Hague.
- IPCC CZMS (1991), *Common Methodology for Assessing Vulnerability to Sea-Level Rise* Ministry of Transport, Public Works and Water Management, The Hague.
- Leatherman, S. P. and Nicholls, R. J. (1995), 'Accelerated Sea-Level Rise and Developing Countries: An Overview', *Journal of Coastal Research*, **14**, 1-14.
- Link, P.M. and R.S.J. Tol (2004), *Possible Economic Impacts of a Shutdown of the Thermohaline Circulation: An Application of FUND*, Research Unit Sustainability and Global Change **FNU-42**, Centre for Marine and Climate Research, Hamburg University, Hamburg.
- Manne, A. S., Mendelsohn, R. O., and Richels, R. G. (1995), 'MERGE - A Model for Evaluating Regional and Global Effects of GHG Reduction Policies', *Energy Policy*, **23** (1), 17-34.
- Mendelsohn, R.O. (2000), 'Efficient adaptation to climate change', *Climatic Change*, **45**, 583-600.
- Myers, N. & Kent, J. (1995), *Environmental Exodus - An Emergent Crisis in the Global Arena*, Climate Institute, Washington, D.C..
- Nakicenovic, N. and Swart, R. (eds.) (2001), *Emissions Scenarios 2000 – Special Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, Cambridge.
- Nicholls, R. J. (2002), 'Analysis of global impacts of sea-level rise: a case study of flooding', *Physics and Chemistry of the Earth*, **27**, 1455-1466.
- Nicholls, R.J. (2004), 'Coastal flooding and wetland loss in the 21st century: changes under the SRES climate and socio-economic scenarios', *Global Environmental Change*, **14** (1), 69-86.
- Nicholls, R. J., Hoozemans, F. M. J., and Marchand, M. (1999), 'Increasing Flood Risk and Wetland Loss due to Global Sea-Level Rise: Regional and Global Analyses', *Global Environmental Change*, **9**, S69-S87.
- Nicholls, R. J. & Leatherman, S. P. (1995a), "Global Sea-level Rise," in *When Climate Changes: Potential Impact and Implications*, K. M. Strzepek & J. B. Smith, eds. (eds.), Cambridge University Press, Cambridge.
- Nicholls, R. J. and Leatherman, S. P. (1995b), 'The Implications of Accelerated Sea-Level Rise for Developing Countries: A Discussion', *Journal of Coastal Research*, **14**, 303-323.

- Nicholls, R. J., Leatherman, S. P., Dennis, K. C., and Volonte, C. R. (1995), 'Impacts and Responses to Sea-Level Rise: Qualitative and Quantitative Assessments', *Journal of Coastal Research*, **14**, 26-43.
- Nicholls, R.J. and Lowe, J.A. (forthcoming), 'Benefits of mitigation of climate change for coastal areas', *Global Environmental Change*.
- Nordhaus, W. D. (1991), 'To Slow or Not to Slow: The Economics of the Greenhouse Effect', *Economic Journal*, **101**, 920-937.
- Nordhaus, W. D. (1992), 'An Optimal Transition Path for Controlling Greenhouse Gases', *Science*, **258**, 1315-1319.
- Parry, M. L., Arnell, N. W., Hulme, M., Nicholls, R. J., and Livermore, M. (1998), 'Adapting to the Inevitable', *Nature*, **395**, 741.
- Schelling, T. C. (1992), 'Some Economics of Global Warming', *American Economic Review*, **82**, 1-14.
- Schelling, T. C. (1995), 'Intergenerational Discounting', *Energy Policy*, **23** (4/5), 395-401.
- Smith, J. B. and Lenhart, S. S. (1996), 'Climate Change Adaptation Policy Options', *Climate Research*, **6** (2), 193-201.
- Tol, R. S. J. (1995), 'The Damage Costs of Climate Change Toward More Comprehensive Calculations', *Environmental and Resource Economics*, **5**, 353-374.
- Tol, R. S. J. (1996), 'The Damage Costs of Climate Change Towards a Dynamic Representation', *Ecological Economics*, **19**, 67-90.
- Tol, R. S. J. (1999), 'The Marginal Costs of Greenhouse Gas Emissions', *Energy Journal*, **20** (1), 61-81.
- Tol, R. S. J. (2002a), 'Estimates of the Damage Costs of Climate Change - Part 1: Benchmark Estimates', *Environmental and Resource Economics*, **21**, 47-73.
- Tol, R. S. J. (2002b), 'Estimates of the Damage Costs of Climate Change - Part II: Dynamic Estimates', *Environmental and Resource Economics*, **21**, 135-160.
- Tol, R.S.J. (2002c), *Emission Abatement Versus Development As Strategies To Reduce Vulnerability To Climate Change: An Application Of FUND*, Research Unit Sustainability and Global Change **FNU-12**, Centre for Marine and Climate Research, Hamburg University, Hamburg.
- Tol, R. S. J. and Dowlatabadi, H. (2001), 'Vector-borne diseases, development & climate change', *Integrated Assessment*, **2**, 173-181.
- Vellinga, P. and Leatherman, S. P. (1989), 'Sea Level Rise, Consequences and Policies', *Climatic Change*, **15**, 175-189.
- Yohe, G. W., Neumann, J. E., and Ameden, H. (1995), 'Assessing the Economic Cost of Greenhouse-Induced Sea Level Rise: Methods and Applications in Support of a National Survey', *Journal of Environmental Economics and Management*, **29**, S-78-S-97.

Yohe, G. W., Neumann, J. E., Marshall, P., and Ameden, H. (1996), 'The Economics Costs of Sea Level Rise on US Coastal Properties', *Climatic Change*, **32**, 387-410.




Figure 1. Loss of dryland (fraction of total area in 2000; top panels) and its value (percent of GDP; bottom panels) without protection (left panels) and with (right panels). Countries are ranked as to their values in 2100.




Figure 2. Loss of wetland (fraction of total area in 2000; top panels) and its value (percent of GDP; bottom panels) without protection (left panels) and with (right panels). Countries are ranked as to their values in 2100.




Figure 3. Protection level (fraction of coast protected; left panel) and the costs of protection (percent of GDP; right panel). Countries are ranked as to their protection level.




Figure 4. The effects of lower sea level rise and emission reduction costs on coastal protection for the world and for Kiribati (left panel) and on the costs of coastal protection for the world and for Micronesia (right panel).




Figure 5. The dryland loss (fraction of 2000 land area; left panel) and its costs (percent GDP; right panel) in 2100 according to the business as usual scenario and the emission reduction scenario. The difference is also shown. Countries are ranked according to the difference.




Figure 6. The effects of lower sea level rise alone and of emission reduction on dryland loss (left panel) and its costs (right panel) for the world (left axis) and for Japan (right axis).




Figure 7. Wetland loss (fraction of 2000 wetland area; left panel) and its costs (percent GDP; right panel) in 2100 according to the business as usual scenario and the emission reduction scenario. The difference is also shown. Countries are ranked according to the difference.




Figure 8. The effects of lower sea level rise alone and of emission reduction on wetland loss (left panel) and its costs (right panel) for the world (left axis) and for Australia (wetland area) and Papua New Guinea (wetland costs; right axis).

Working Papers
Research Unit Sustainability and Global Change
Hamburg University and Centre for Marine and Atmospheric Science

- Berritella, M., A. Bigano, R. Roson and R.S.J. Tol (2004), *A General Equilibrium Analysis of Climate Change Impacts on Tourism*, **FNU-49** (submitted)
- Tol, R.S.J. (2004), *The Double Trade-Off between Adaptation and Mitigation for Sea Level Rise: An Application of FUND*, **FNU-48** (submitted)
- Erdil, Erkan and Yetkiner, I. Hakan (2004), *A Panel Data Approach for Income-Health Causality*, **FNU-47**
- Tol, R.S.J. (2004), *Multi-Gas Emission Reduction for Climate Change Policy: An Application of FUND*, **FNU-46** (submitted)
- Tol, R.S.J. (2004), *Exchange Rates and Climate Change: An Application of FUND*, **FNU-45** (submitted)
- Gaitan, B., Tol, R.S.J. and Yetkiner, I. Hakan (2004), *The Hotelling's Rule Revisited in a Dynamic General Equilibrium Model*, **FNU-44** (submitted)
- Rehdanz, K. and Tol, R.S.J. (2004), *On Multi-Period Allocation of Tradable Emission Permits*, **FNU-43** (submitted)
- Link, P.M. and Tol, R.S.J. (2004), *Possible Economic Impacts of a Shutdown of the Thermohaline Circulation: An Application of FUND*, **FNU-42** (submitted)
- Zhou, Y. and Tol, R.S.J. (2004), *Evaluating the costs of desalination and water transport*, **FNU-41** (submitted to *Water Resources Research*)
- Lau, M. (2004), *Küstenzonenmanagement in der Volksrepublik China und Anpassungsstrategien an den Meeresspiegelanstieg*, **FNU-40** (submitted to *Coastline Reports*)
- Rehdanz, K. and Maddison, D. (2004), *The Amenity Value of Climate to German Households*, **FNU-39** (submitted)
- Bosello, F., Lazzarin, M., Roson, R. and Tol, R.S.J. (2004), *Economy-wide Estimates of the Implications of Climate Change: Sea Level Rise*, **FNU-38** (submitted)
- Schwoon, M. and Tol, R.S.J. (2004), *Optimal CO₂-abatement with socio-economic inertia and induced technological change*, **FNU-37** (submitted)
- Hamilton, J.M., Maddison, D.J. and Tol, R.S.J. (2004), *The Effects of Climate Change on International Tourism*, **FNU-36** (submitted)
- Hansen, O. and R.S.J. Tol (2003), *A Refined Inglehart Index of Materialism and Postmaterialism*, **FNU-35** (submitted)
- Heinzow, T. and R.S.J. Tol (2003), *Prediction of Crop Yields across four Climate Zones in Germany: An Artificial Neural Network Approach*, **FNU-34** (submitted to *Climate Research*)
- Tol, R.S.J. (2003), *Adaptation and Mitigation: Trade-offs in Substance and Methods*, **FNU-33** (submitted)
- Tol, R.S.J. and T. Heinzow (2003), *Estimates of the External and Sustainability Costs of Climate Change*, **FNU-32** (submitted)
- Hamilton, J.M., Maddison, D.J. and Tol, R.S.J. (2003), *Climate change and international tourism: a simulation study*, **FNU-31** (submitted to *Global Environmental Change*)
- Link, P.M. and R.S.J. Tol (2003), *Economic impacts of changes in population dynamics of fish on the fisheries in the Barents Sea*, **FNU-30** (submitted)
- Link, P.M. (2003), *Auswirkungen populationsdynamischer Veränderungen in Fischbeständen auf die Fischereiwirtschaft in der Barentssee*, **FNU-29** (*Essener Geographische Arbeiten*, **35**, 179-202)
- Lau, M. (2003), *Coastal Zone Management in the People's Republic of China – An Assessment of Structural Impacts on Decision-making Processes*, **FNU-28** (submitted)
- Lau, M. (2003), *Coastal Zone Management in the People's Republic of China – A Unique Approach?*, **FNU-27** (*China Environment Series*, Issue 6, pp. 120-124; <http://www.wilsoncenter.org/topics/pubs/7-commentaries.pdf>)
- Roson, R. and R.S.J. Tol (2003), *An Integrated Assessment Model of Economy-Energy-Climate – The Model Wiagem: A Comment*, **FNU-26** (forthcoming in *Integrated Assessment*)

- Yetkiner, I.H. (2003), *Is There An Indispensable Role For Government During Recovery From An Earthquake? A Theoretical Elaboration*, **FNU-25**
- Yetkiner, I.H. (2003), *A Short Note On The Solution Procedure Of Barro And Sala-i-Martin for Restoring Constancy Conditions*, **FNU-24**
- Schneider, U.A. and B.A. McCarl (2003), *Measuring Abatement Potentials When Multiple Change is Present: The Case of Greenhouse Gas Mitigation in U.S. Agriculture and Forestry*, **FNU-23** (submitted)
- Zhou, Y. and Tol, R.S.J. (2003), *The Implications of Desalination to Water Resources in China - an Economic Perspective*, **FNU-22** (*Desalination*, **163** (4), 225-240)
- Yetkiner, I.H., de Vaal, A., and van Zon, A. (2003), *The Cyclical Advancement of Drastic Technologies*, **FNU-21**
- Rehdanz, K. and Maddison, D. (2003) *Climate and Happiness*, **FNU 20** (submitted to *Ecological Economics*)
- Tol, R.S.J., (2003), *The Marginal Costs of Carbon Dioxide Emissions: An Assessment of the Uncertainties*, **FNU-19** (forthcoming in *Energy Policy*).
- Lee, H.C., B.A. McCarl, U.A. Schneider, and C.C. Chen (2003), *Leakage and Comparative Advantage Implications of Agricultural Participation in Greenhouse Gas Emission Mitigation*, **FNU-18** (submitted).
- Schneider, U.A. and B.A. McCarl (2003), *Implications of a Carbon Based Energy Tax for U.S. Agriculture*, **FNU-17** (submitted).
- Tol, R.S.J. (2002), *Climate, Development, and Malaria: An Application of FUND*, **FNU-16** (submitted).
- Hamilton, J.M. (2003), *Climate and the Destination Choice of German Tourists*, **FNU-15** (revised and submitted).
- Tol, R.S.J. (2002), *Technology Protocols for Climate Change: An Application of FUND*, **FNU-14** (submitted to *Climate Policy*).
- Rehdanz, K. (2002), *Hedonic Pricing of Climate Change Impacts to Households in Great Britain*, **FNU-13** (submitted to *Climatic Change*).
- Tol, R.S.J. (2002), *Emission Abatement Versus Development As Strategies To Reduce Vulnerability To Climate Change: An Application Of FUND*, **FNU-12** (submitted to *Environment and Development Economics*).
- Rehdanz, K. and Tol, R.S.J. (2002), *On National and International Trade in Greenhouse Gas Emission Permits*, **FNU-11** (submitted).
- Fankhauser, S. and Tol, R.S.J. (2001), *On Climate Change and Growth*, **FNU-10** (forthcoming in *Resource and Energy Economics*).
- Tol, R.S.J. and Verheyen, R. (2001), *Liability and Compensation for Climate Change Damages – A Legal and Economic Assessment*, **FNU-9** (*Energy Policy*, **32** (9), 1109-1130).
- Yohe, G. and R.S.J. Tol (2001), *Indicators for Social and Economic Coping Capacity – Moving Toward a Working Definition of Adaptive Capacity*, **FNU-8** (*Global Environmental Change*, **12** (1), 25-40).
- Kemfert, C., W. Lise and R.S.J. Tol (2001), *Games of Climate Change with International Trade*, **FNU-7** (*Environmental and Resource Economics*, **28**, 209-232).
- Tol, R.S.J., W. Lise, B. Morel and B.C.C. van der Zwaan (2001), *Technology Development and Diffusion and Incentives to Abate Greenhouse Gas Emissions*, **FNU-6** (submitted to *International Environmental Agreements*).
- Kemfert, C. and R.S.J. Tol (2001), *Equity, International Trade and Climate Policy*, **FNU-5** (*International Environmental Agreements*, **2**, 23-48).
- Tol, R.S.J., Downing T.E., Fankhauser S., Richels R.G. and Smith J.B. (2001), *Progress in Estimating the Marginal Costs of Greenhouse Gas Emissions*, **FNU-4**. (*Pollution Atmosphérique – Numéro Spécial: Combien Vaut l’Air Propre?*, 155-179).
- Tol, R.S.J. (2000), *How Large is the Uncertainty about Climate Change?*, **FNU-3** (*Climatic Change*, **56** (3), 265-289).
- Tol, R.S.J., S. Fankhauser, R.G. Richels and J.B. Smith (2000), *How Much Damage Will Climate Change Do? Recent Estimates*, **FNU-2** (*World Economics*, **1** (4), 179-206)
- Lise, W. and R.S.J. Tol (2000), *Impact of Climate on Tourism Demand*, **FNU-1** (*Climatic Change*, **55** (4), 429-449).